

Anyogam



All India Institute of Medical Sciences, Rishikesh  
Virology Laboratory, Department of Microbiology  
Test Report (SARS-CoV-2)

Date & time of reporting(dd/yy/mm): 12 hour format					21-04-2020		
Address of the referring facility				ID	SDH ROORKEE	NA	
<b>Specimen Details</b>							
Date of onset of illness					NA		
Date & time of sample collection					19-04-2020		
Date & time of receipt of sample at virology lab					20-04-2020		
Condition of specimen received/ Quality on arrival					Acceptable		
<b>Reporting Details</b>							
Report ID					AIIMSR01370		21 April 2020
Sample ID	Patient Name	Age	Sex	Specimen type	Date of Sample testing	Result	
						2019-nCoV	Other Respiratory Viruses
AIIMSR01370	NASIM	69	M	OP & NP SWAB	21-04-2020	NEGATIVE	

Prepared by:

Checked & Approved by:

*Aringh*

Senior Resident

Junior Resident

*Dr. Deepjyoti Kalita*  
 डॉ० दीपज्योति कलिता  
 Dr. Deepjyoti Kalita  
 सह-आचार्य / Associate Professor  
 सूक्ष्मजीव विज्ञान / Microbiology  
 एम्स, ऋषिकेश / AIIMS Rishikesh

**Note: The results relate only to the specimen tested and should be correlated with clinical findings.**

**Interpretation guidance:**

- Testing of referred clinical specimens was considered on the basis of request/ referral received from / through State Surveillance Officer (SSO) of concerned state integrated disease surveillance program (IDSP). Any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude an infection\*.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2-4 days after the collection of the first specimen for additional testing if required\*.
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for publication in any journals without the prior permission of the Director General, ICMR.

*Dr. Arith*  
 23.04.2020  
**Chief Medical Officer**  
 Haridwar (U.K.)